



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

SERIAL NUMBER	08/360,215	FILED DATE	12/20/94	FIRST NAMED APPLICANT	OUDEKATK	A	ATTORNEY	80071UGA7B
---------------	------------	------------	----------	-----------------------	----------	---	----------	------------

E5M1/0129

KARI H BARTINGALE
3M OFFICE OF INTELLECTUAL PROP COUNSEL
P O BOX 33427
ST PAUL MN 55133-3427

SHAFFER, R	
ART UNIT	PAPER NUMBER
2507	5

DATE MAILED:

01729197

NOTICE OF ABANDONMENT

This application is abandoned in view of:

- ☒ Applicant's failure to respond to the Office letter, mailed 7/10/96.
- ☐ Applicant's letter of express abandonment which is in compliance with 37 C.F.R. 1.138.
- ☐ Applicant's failure to timely file the response received _____ within the period set in the Office letter.
- ☐ Applicant's failure to pay the required issue fee within the statutory period of 3 months from the mailing date of _____ of the Notice of Allowance.
 - ☐ The issue fee was received on _____.
 - ☐ The issue fee has not been received in Allowed Files Branch as of _____.

In accordance with 35 U.S.C. 151, and under the provisions of 37 C.F.R. 1.316(b), applicant(s) may petition the Commissioner to accept the delayed payment of the issue fee if the delay in payment was unavoidable. The petition must be accompanied by the issue fee, unless it has been previously submitted, in the amount specified by 37 C.F.R. 1.17(l), and a verified showing as to the causes of the delay.

If applicant(s) never received the Notice of Allowance, a petition for a new Notice of Allowance and withdrawal of the holding of abandonment may be appropriate in view of *Delgar Inc. v. Schuyler*, 172 U.S.P.Q. 513.

- ☐ Applicant's failure to timely correct the drawings and/or submit new or substitute formal drawings by _____ as required in the last Office action.
 - ☐ The corrected and/or substitute drawings were received on _____.
- ☐ The reason(s) below.

RICKY D. SHAFFER
PATENT EXAMINER
ART UNIT 2507